

Hicks

1907

Trees for Long Island

LIBRARY
NEW YORK
BOTANICAL
GARDEN

STOCK LIST APRIL 1907

ISAAC HICKS AND SON

Large Tree Movers

WESTBURY NURSERIES

Westbury Station, Nassau Co., N. Y.

WESTBURY NURSERIES

LOCATION. On the Jericho turnpike, one mile north of Westbury Station, on the main line of the Long Island Railroad. Three miles from Mineola. Public hacks may be obtained at the stations. Trolley lines connect Mineola with Jamaica, Queens, Belmont Park, Hyde Park, Garden City, Hempstead, Freeport, Rockville Centre, etc.

OBJECT OF THIS PRICE LIST. By giving quantities in this list our aim is to enable customers to order stock on hand, thus avoiding delay and disappointment.

It shows dimensions of **large specimens** in sizes never before offered by nurseries, which **save from 15 to 40 years waiting.**

In offering **smaller and cheaper stock**, grown from Long Island and Northern seed, that fits the conditions and is hardy, we enable the purchaser to obtain results with the minimum outlay.

QUANTITY. Should larger numbers or different varieties be desired we have excellent facilities to obtain them.

QUALITY. Our large trees are not cutts and left-overs. We were pioneers in growing large trees from 10 to 40 feet apart, permitting ample sunlight, air and soil. Such trees bear no comparison in price or effect with trees of the same height or diameter of trunk grown two or three feet from adjoining trees.

PRICES. The prices in this list are for trees and plants dug and loaded at Westbury Nurseries. 5, 50 and 500 plants at the 10, 100 and 1000 rates, respectively. Selected specimens at advanced price, according to quality of plant chosen. Items left unpriced are generally large specimens that are usually priced to include delivery on tree mover, and planting. Prices subject to change without notice.

DELIVERY. When delivery is made by wagon the charge is proportionate to distance and expense. Delivery to Railroad is free, where our responsibility ceases.

PACKING will be carefully done and **charged at cost.**

GUARANTEE. All stock is guaranteed true to name and in good condition when shipped. Any plant proving untrue to name will be replaced. **We do not guarantee the life of stock** without previous special agreement and price to that effect.

CLAIMS. No claims will be considered after seven days from delivery. Notification of errors in count, etc., should be made promptly so that correction may be made the same season. Claims for damage in transit must be made to the company delivering the goods, and should be presented promptly.

TERMS. Unknown correspondents should send satisfactory references or cash with order. Accounts will be subject to sight draft sixty days from date of shipment.

TREE-MOVING. Hicks' Patent Tree Movers move deciduous trees up to 60 ft. high and 40 ft. spread of roots and top. Evergreen trees 40 ft. high safely moved.

CATALOG. Send for Descriptive Catalog giving accurate descriptions and telling where to plant and where not to plant.

ISAAC HICKS & SON

STOCK LIST

DECIDUOUS TREES

All trees have been transplanted one to five times, unless marked S., which means seedlings one or two years old.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
ANDROMEDA arborea (Sorrel Tree). Syn., Oxydendron arboreum.							
15	1	\$0 40	\$3 50		
100	2-3	50	4 50		
20	4-6	2 00			
15	6	3 00			
5	8	3 50			

ASH, White (Fraxinus Americana).

7	20	3	6-12	6 00			
2	24	4	12	10 00			
2	26	4	9	12 00			

BEECH, English or European (Fagus sylvatica).

100	3	75	7 00		
57	4	1 25	10 00		
95	5	1 75			
147	6	..	2-3	2 00			
91	8	..	4-5	3 00—6 00			
23	10	2	4-5	4 00—8 00			
6	12	..	5-8	8 00			
5	14	2½-3½	6	10 00			
2	18	6	15				
2	22	6-9	15				

BEECH, Purple or Copper (F. sylvatica var. purpurea).

27	6	1 50			
6	10	..	4-5	6 00—8 00			
10	12	..	5	6 00—8 00			
5	14	..	5-7	10 00			
1	21	..	18				
1	25	..	12				

BEECH, Rivers' Purple (F. sylvatica, var. purpurea Riversii).

18	3	1 00	7 50		
71	4	1 50	12 50		
51	5	2 00	17 50		
27	6	..	3-4	2 50			
15	8	..	4	5 00			
5	10	..	6	10 00			
3	12	..	6	12 00			
2	26	..	12				

BEECH, Weeping Purple (F. sylvatica, var. purpurea pendula).

8	3	4 00			
2	4	5 00			
3	6	7 00			
1	8				
1	10				

BEECH, Weeping (F. sylvatica, var. pendula).

32	4	2 00			
32	5	2 50			
19	6	3 00	27 50		
33	8	4 00	35 00		
3	10	5 00			
2	12	8 00			
2	16-18				

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
BEECH, Fern Leaf (<i>F. sylvatica</i> , var. <i>heterophylla</i>).							
33	3	1 50			
34	4	..	3	2 50			
48	5	..	3	4 00			
27	6	..	3-4	6 00			
2	8	..	6				
1	9	..	4				
1	12	..	6				
1	14	..	7				
BEECH, American (<i>F. ferruginea</i>).							
410	6 in.						
516	1						
193	2						
290	3	1 00			
153	4	1 50			
67	5	1 75			
18	6	2 00			
10	8	2 50			
8	10						
4	12						
9	14						
1	18						
1	20						
BIRCH, European White (<i>Betula alba</i>).							
20	6	50			
111	8	1 25	8 00		
20	10	1 50			
6	16	4 00			
5	18	8 00			
3	22	..	7-14				
3	25	7½	18				
1	32	9	21				
3	35	6¼-9	18				
BIRCH, Canoe, or Paper (<i>B. papyrifera</i>).							
22	4	60			
20	5	75			
12	6	85	7 50		
BIRCH, Cherry, Sweet, or Black (<i>B. lenta</i>).							
19	6	50	4 50		
15	8	1 00	9 00		
16	10	1 50			
CATALPA, Western (<i>Catalpa speciosa</i>).							
Large old trees at very low rates.							
96	6	50	4 00		
234	8	1-1½	..	75	6 50		
50	10	1-2½	..	1 00			
20	12-14	2½	..	1 75			
5	18	6	..	5 00			
10	20	4-7	7-14	6 00—15 00			
13	22	5-9	12-15	7 00—25 00			
12	24	6-12	15-18	12 00—40 00			
16	26	9-12	15-18	15 00—40 00			
3	28	12	15	30 00—45 00			
3	30	9	21	30 00—45 00			
1	35	13	20	45 00			
CATALPA, Bungei (<i>C. bignonioides</i> , var. <i>nana</i>), standard or tree form.							
14	3	..	1-5	1 00—8 00			
15	4	..	1-6	1 00—8 00			
17	5	..	3-6	1 00—8 00			
17	6	..	3-6	1 25—8 00			
6	8	..	5-7	4 00—10 00			
4	10	..	5-7	8 00—15 00			

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
CATALPA, Kæmpferi.							
4	10	50			
8	14	75			
6	16	3 1/2	..	1 00			
7	18	4 1/2	8	4 00			
1	22	6	14	12 00			
1	24	5	12	12 00			

CHERRY, Double-flowering Japanese (*Prunus Pseudo-cerasus*, var. *Sieboldi*).
White.

5	3	1 00			
4	8-10	5 00			

Pink.

4	3	1 00			
3	4-6	1 50			
5	6	2 00			
5	8-10	5 00			

CHERRY, Japanese Weeping Rose Flowered (*P. pendula*).

7	4-6	1 50			
10	6	2 50			

CHERRY, Wild Black (*P. Serotina*).

300	8 in.			5 00	
20	8-12	75			

CHESTNUT, American (*Castanea Americana*).

Some are from large fruited, grafted varieties. The American Chestnut is a very rapid tree for shade, forest, and avenue planting.

363	1			2 50	
577	2	08	90	5 00	
1376	3	15	1 40	12 00	
584	4	18	1 60	15 00	
250	5	20	1 80	17 50	
15	8	1 25			
4	10	3 00			
6	12-14	2 1/2	..	5 00			
2	16				
1	19				

CHESTNUT, Japanese Beta

4	6 in.	75			
3	7	1 50			
7	8	2 00			

CHESTNUT, Japanese, Comfort.

2	6 in.	75			
2	4	1 50			
1	6	2 00			

CHESTNUT, Japanese (*C. crenata*).

600	1	08	75	5 00	40 00
540	2	18	1 50	12 00	
340	3	20	1 40	15 00	
130	4	25	2 00	18 00	
35	5	30	2 50		
2	14				

CHESTNUT, Japanese Mammoth.

2	5	1 25			
---	---	----	----	------	--	--	--

CHESTNUT, European, Numbo.

8	5	1 00			
5	8	2 00			

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
CHESTNUT, Paragon (C. sativa).							
48	6 in.	50			
30	2	60			
33	3	75			
18	5	1 00			
6	7	2 00			
3	8	2 25			
6	10	2 50			
1	17				
CHESTNUT, Chinquapin (C. pumila)..							
130	6-9 in.	30			
40	2	75			
8	3	85			
CYPRESS, Deciduous (Taxodium distichum).							
6	6	1 00			
4	8	1 50			
3	12	5 00			
1	14	12 00			
1	16	18 00			
2	18	20 00			
DOGWOOD, Flowering (Cornus Florida).							
50	2	15	1 00		
100	4	25	2 00		
100	6	50	4 00		
75	8	75	7 00		
50	10	1 50	14 50		
25	12	2 00	18 50		
20	14	2 50			
10	18				
8	20				
1000 Dogwood transplanted 1906, and cut back to 6-8 ft., suitable for mass planting, at low rates.							
DOGWOOD, Red-Flowering (C. Florida, var. rubra).							
40	3-6 in.				
65	1	35	3 00		
50	2	40	3 50		
30	4	1 50	14 00		
25	5	2 00	18 50		
12	6	2 25			
9	8				
12	10				
1	15				
DOGWOOD, Japanese (C. Kousa).							
900	1	15	1 25	10 00	
25	2	25			
10	5	85			
8	6	2 00			
6	8	6 00			
8	10	8 00			
ELM, English (Ulmus campestris).							
12	4	30			
3	5	60			
20	6	75			
1	14	5	8				
1	18	3½	9				
1	22	5					

ISAAC HICKS & SON, WESTBURY, L. I.

7

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
ELM, American (Ulmus Americana).							
150	8	85	7 50	70 60	
100	10	1 3/4	..	1 00	9 00	85 00	
25	12	1 25			
55	14	1 1/2-2	..	1 50	14 00	130 00	
80	16	1 3/4-2 3/4	..	2 50-3 00	20 00		
90	18	2 3/4-4	..	3 00-10 00			
16	20	4-6	7-12	10 00-15 00			
11	22	5	10	20 00			
7	24	5	7-12	25 00			
4	26	9	10-18				
2	30	9-11	12-18				
3	32	9-12	12-15				
4	34	9	15-20				
1	36	11	20				
1	38	11	15				
1	38	12	20				

ELM, Weeping (Ulmus Americana, var. pendula).

12	12	2	..	1 50			
10	14	2	..	2 00			

GINKGO biloba. Maiden Hair Tree. (Syn. Salisburia adiantifolia).

800	3-8 in.	05	50	4 50	40 00
500	1	20	1 75		
10	2	30	2 75		
250	3	60	5 50		
180	6	1 00	9 00		
22	8	1 50			
95	10	1 75			
75	12	2 00			
30	14	3 50			
14	16	5 00			

HICKORY, Mockernut (Hicoria tomentosa, syn. Carya tomentosa).

240	6 in. seedlings.		50	2 50	
1100	9 in.		1 50	12 00	
4	5	75			
6	8	1 50			
3	10	2 1/2	..	4 00			
4	12	2 1/2-2 3/4	..	5 00			
2	14	2 1/2-3	..	6 00			
1	16	4	..				

HICKORY, Shagbark (H. ovata. Syn. H. alba).

8	3	75			
9	5	1 00			
8	6	1 50			

PECAN Nut (Carya olivæformis).

2175	6 in.-1		80	5 00	40 00
------	---------	----	----	--	----	------	-------

The seed is from the north part of the natural range of the pecan, in Indiana.

HORNBEAM, European (Carpinus betulus).

The 3-6 ft. plants are sheared to pyramidal form for hedges. They are very dense and healthy, and equal to the impenetrable beech and hornbeam hedges of Europe. The russet foliage remains on all Winter.

830	1	25	2 25	20 00	
465	2	35	3 00	25 00	
375	3	40	3 50	30 00	
440	4	50	4 50	40 00	
300	5	75	7 00	65 00	
25	6	1 00			
4	14	4-4 1/2	5-9				

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
HORNBEAM, American (C. Americana).							
40	3	30	2 50		
80	4	75	6 00		
9	6	1 00			
6	8	1 25			
HORNBEAM, Hop (Ostrya Virginica).							
4	6	60			
4	8	75			
3	10	1 50			
2	12	..	7	2 00			
HORSE CHESTNUT (Æsculus hippocastanum).							
215	1	05	50	4 00	
17	5	60			
35	6	1 00	9 00		
70	8	1 50	12 50		
75	10	2-3½	..	2 50			
30	12	2½-5	..	4 00— 6 00			
8	14	4	..	6 00			
1	18	4½	..	6 00			
1	22	7½	..	15 00			
HORSE CHESTNUT, Double flowering. Price on application.							
HORSE CHESTNUT, Red flowering. Price on application.							
HORSE CHESTNUT, Dwarf (See Shrubs).							
HORSE CHESTNUT, Ohio Buckeye (Æ. glabra).							
14	10	2 00			
5	14	3 50			
2	21	15 00			
JUDAS, American (Red Bud; Cercis Canadensis).							
6	3	35			
7	5	75			
18	6	1 00			
JUDAS, Japanese (C. Chinensis). See under Shrubs.							
KENTUCKY COFFEE TREE (Gymnocladus Canadensis).							
9	4	50			
6	6	75			
8	10-14	2 00			
2	25	7	15	25			
KOELREUTERIA (Varnish tree; Koelreuteria paniculata).							
30	1	20	1 75		
10	6	1 00			
LARCH, European (Larix decidua, syn. Europæa).							
2	5	50			
2	7	2 00			
LARCH, Japan (Kämpferi, syn. Pseudo-larix Kämpferi).							
400	4 in.	2 yr. Seedlings.	..	08	50	5 00	
10	2	1 00			
18	3	2 00			
LINDEN, Silver (Tilia tomentosa, syn. T. argenta, syn. alba).							
170	4	60			
185	6	85	8 00		
200	8	1 50	14 50		
40	10	2 25			
15	12	3 50			
30	14	3½-4	..	8 00			
9	16	3½-4	6				
8	18	3-4½	..				
3	22	5-7	10-14				

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
LINDEN, spectabilis (T. tomentosa, var. spectabilis).							
70	5	75	7 00		
55	6	1 50	14 50		
25	8	2 00			
12	10	1½-2	..	2 25			
14	12	2-2¾	..	4 00			
5	14	2½-3	..	6 00			
2	17	3½-5	7-10				
4	20	4-6	9-15				
1	22	4	9				
1	24	6	12				
1	26	6	10				

LINDEN, Weeping Silver (T. petiolaris, syn. argenta var. pendula).

65	6	1 00			
35	8	2 00			
9	10	2 50	8 00		
20	12	2½-4	8-10	6 00-15 00			
18	14	3-4	8	8 00-15 00			
3	16	4½	9				
1	18	7-10	15				
2	22				

LINDEN, Small-leaved (T. ulmifolia, syn. microphylla).

320	6-12 in. seedlings.				
250	2-4 in. seedlings.				
195	5	75	7 00		
105	6	1 00			
110	8	1 50			
30	10				
105	12	2½-3½	5-8				
115	14	2-4	7-12				
30	16	2¼-4¼	6-11				

In the above are 150 trees trained to symmetrical ovate tops. They are growing 10 feet apart; price \$8.00 to \$15.00.

10	18	4¾-7	11				
9	20	4-7	9-14				
6	22	4-7	10-14				
4	24	7½-8	14				
1	26	9¼	21				
2	28	6½-9¼	19				

LINDEN, American (T. Americana, Basswood).

135	2				
100	4	50			
35	6	60			
24	8	1 00			
9	10	1 50			
5	12	2 00			
5	14	4 00			
16	16	2½-4½	..	5 00-8 00			
14	18	4-5	..	8 00-15 00			
8	20	4-6¾	7-20	12 00-20 00			
5	22	4¼-7	8-14	15-21	18 00-30 00		
8	24	6½-9½	15-21				
2	28	6-8	14-18				
3	30	13	24				

LIQUIDAMBAR (Sweet Gum).

240	6 in. seedlings.	10	90	8 00	70 00
4300	1-3	12	1 10	10 00	
400	3	15	1 40	12 00	
200	4	75			
5	8	1 00	8 00		
5	10	3 00			
1	14	4	9	8 00			
2	16	3¾	7	10 00			
1	18	4½	6				

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
-------	-------------------	-----------------------	-------------------	------	--------	---------	----------

LOCUST, Honey (*Gleditsia triacanthos*).

50	3	15	1 25		
200	4	40	1 75	15 00	
170	5	25	2 25	20 00	
65	6	60	5 00		
30	8	75	6 50		
20	10	1 00			

MAGNOLIA, Umbrella (*Magnolia tripetela*).

35	3	25	2 00		
175	4	40	3 00		
75	5	50	4 00		
350	6	75	6 00	50 00	
330	8	1 1/4	2-3	1 00	8 50	75 00	
140	10	1 1/2-2 1/2	3	1 25	11 00	100 00	

Many of the above 8 to 10 ft. size are trained as uniform standards for formal planting.

2	14	3	6	5 00
---	----	---	---	------

MAGNOLIA large-leaved (*M. macrophylla*).

500	4-12 in. seedlings.	..	20	1 85	15 00		
90	1	..	50	4 00			
100	2	..	1 25	11 00	100 00		
100	3	..	1 40	12 00			
1	25	10	30				

MAGNOLIA Frazerii.

4	4	2 00
6	5	2 25
3	8	2 50

MAGNOLIA, Cucumber (*M. acuminata*).

740	9-12 in. seedlings.	..	10	90	8 00		
14	3	..	25	2 00			
20	4	..	50	4 00			
18	5	..	60	5 00			
8	6	..	1 00				
2	10	..	3 00				
1	15	7					
1	28	8	14				

MAGNOLIA hypoleuca.

7	3	2 00
15	4	3 00
20	6	3 50

MAGNOLIA Kobus.

6	2	1 00			
8	3	1 75	15 00		
16	4	2 50	22 50		
30	6	..	4	4 00	37 50		
1	13	..	7	8 00			

MAGNOLIA Yulan. Syn. *conspicua*.

9	1	1 00			
7	2	1 75			
8	3	2 75			
2	5	3 00			
4	6	..	4	7 00			
3	8				

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
MAGNOLIA Soulangeana.							
20	3	..	2	1 50			
7	4	..	3	2 00			
32	5	..	3	4 00			
26	6	..	4-5	5 00			
6	8	..	5-7	8 00			
1	21	18	16				
MAGNOLIA Soulangeana nigra.							
5	3	2 00			
MAGNOLIA alba superba.							
2	4	..	3	2 00			
3	6	..	3	3 00			
MAGNOLIA Alexandria.							
3	2	1 50			
8	4	..	3	2 50			
MAGNOLIA Lennei.							
14	2	1 25			
16	3	..	2	2 00			
18	4	..	2½	2 25			
3	5	..	3	4 00			
MAGNOLIA speciosa.							
9	3	2 00			
6	4	..	2	2 50			
MAGNOLIA glauca. Showy cream flowers and red fruit. It should be extensively planted in groups, 4 to 8 ft. apart, on either ordinary soil or moist ground. It is native on Long Island, and the bright green foliage remains all Winter on the lower branches.							
530	6 in. seedlings.	08	60	5 00	
450	9 in.	10	90	8 00	
670	1	15	1 30	12 00	
1000	1½	20	1 80	17 50	
300	2	25	2 25	20 00	
200	2½	30	2 75	25 00	
50	3	40	3 75		
MAGNOLIA parviflora.							
6	1	1 00			
8	2	3 00			
6	3				
1	6				
MAGNOLIA Watsoni.							
7	1	1 00			
6	2	2 00			
4	3				
3	4				
2	7				
MAGNOLIA stellata. Syn. Halleana (Hall's Magnolia).							
480	6 in. seedlings.	20	1 75	15 00	
500	10 in.	25	2 25	20 00	
9	1½	1 50			
10	3	2 00			
8	3	4 00			
1	4				
2	9				
MAGNOLIA purpurea gracilis.							
500	1-4 layers, not transpl.	15	1 00	8 00	
5	3	..	2	75			

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
-------	-------------------	-----------------------	-------------------	------	--------	---------	----------

MAGNOLIA purpurea.

30	3	50	4 00		
70	4	60	5 00		

MAPLES, Norway (Acer platinoides). These 3-6 in. Norway Maples are grown 10-25 ft. apart to develop wide tops and roots. The 2-3 in. size are grown in squares 5 ft. apart.

960	8	40	3 50	30 00	
375	10	1-1½	..	65	6 00	50 00	
500	12	1¼	..	75	7 00	65 00	
290	12	1½	..	80	7 50	70 00	
80	12	1¾	..	1 25	10 00	95 00	
400	14-18	1½	..	1 00	9 50	90 00	
300	14-18	1¾	..	1 35	12 50		
300	14	2	..	2 00	18 00	160 00	
150	14	2¼	..	2 25	20 00		
300	14	2½	..	3 00	27 50		
150	14-18	3	..	4 00—10 00			
100	20-24	3	..	6 00—10 00			
400	16-20	4	..	8 00—18 00			
100	20-24	4	6-10	15 00—20 00			
100	20-24	5	7-15	20 00—25 00			
20	20-24	6	8-16				

20 to 30 large Norway maples, 10 to 18 in. diam., 25 to 35 ft. high, 25 to 30 ft. spread; price on application.

MAPLE, Schwedler's Purple Norway (A. platinoides, var. Schwedlerii).

30	6	1 00			
30	8	1	..	1 50			
15	10	1½-2½	..	1 75			
4	18	3¾-5	10	5 00—15 00			

MAPLE, Reitenbach's Purple Norway (A. platinoides, var. Reitenbachi).

15	4	75			
15	6	1 00			
7	10	1¼-3	..	2 50			
6	14	2-3	6	3 50			
2	16	..	7	5 00			
1	25	7	15	30 00			

MAPLE, Sugar, Rock or Hard (A. saccharum, syn. A. saccharinum).

12	10	1¼	..	75			
25	12	1-2½	..	1 00			
25	14	1½-2	..	1 50			
50	16	1¾-2¼	..	2 50			
80	18	2	..	3 50	32 50		
50	18	2¼-3	4-6	6 00	57 50		
35	20	2	..	5 00			
65	20	2¼-3½	4-9	12 00			
18	22	3-4	9-10	10 00—15 00			
20	24	3¼-5	8-12	12 00—20 00			
5	26	4½	5-11				
2	28	4½	8-10				
5	30	4½-6	10				

MAPLE, Large, Sugar.

10	35-45	9-16 in.	20-30				
----	-------	----------	-------	--	--	--	--

MAPLE, Purple Sycamore.

2	12	1¼-2¼	..	1 00			
2	18	3-5	7-9	5 00			

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
MAPLE, Sycamore (A. pseudo-platanus).							
12	6	75	7 00		
55	8	85	8 00		
65	10	1 1/4	..	1 00	9 50		
45	12	1 3/4	..	1 50	14 00		
25	14	2	4-6	2 50			
14	16	3	6	6 00			
18	18	3 1/2	6-10	10 00—15 00			
16	20	3 1/2-5	6-10	10 00—15 00			
32	22	3 1/2-5	6-12	10 00—15 00			
34	24	4-6	9-12	12 00—18 00			
4	26	4 1/2-5	9-12	15 00—20 00			

MAPLE, Silver (A. dasycarpum).

700	8	30	2 75		
100	10	1	..	35	3 00		
80	12	1 1/4	..	40	3 50		
65	14	1 1/2-2 1/2	..	50	4 50		
50	16	2-2 3/4	..	65	6 00		
90	18	2-4	5-8	85—1 50			
174	20-24	2 1/2	5-10	2 00			
	20-24	3	6-12	3 00			
	20-24	3 1/2	6-12	4 00			
	20-24	4	6-12	6 00			
40	24	3 1/2	..	6 00			
110	24	4 1/2	6-15	10 00			
28	28	5 1/2-9	9-20	20 00—35 00			
30	30	5 1/2-8	10	20 00—45 00			
15	32	6-8	12-18	25 00—45 00			
14	28-36	8	15-20	Price on			
4	36	9	20-24	selection			
3	30-45	10	20-26	" "			
5	36-38	11	21-28	" "			
6	40	12	22-30	" "			
2	30-38	15	28	" "			

MAPLE, Wier's Weeping Silver (Acer saccharinum, var. Wierii).

10	5	50			
10	14-18	2 1/4-3	..	2 00			
2	22	5	10	25 00			
2	28	5 1/2-6 1/2	14	35 00			

MAPLE, Scarlet or Red (A. rubrum).

2700	6 in. seedlings.	50	2 50		
1500	1				
140	2				
345	3				
285	4				
160	5				
400	6	50	4 50		
150	8	1 00	9 00		
115	10	1 1/4	..	1 25	10 00		
65	12	1 1/2-2 1/2	..	1 50	12 50		
35	14	2-3	..	2 00	18 50		
25	16	2 1/2-3	..				
25	18	2 1/2-4	..				

Below are slender trees transplanted 3 years ago. They are suitable for mass planting and some for lawn planting. Price on selection.

25	20	2 3/4-4	..				
36	22	3-4	..				
40	26	4-5	..				
40	30	4 1/2-6	..				
20	35	6-10	..				
10	40	6-10	..				

Large specimen red maples, 12-14 in. diam., 30-35 ft. high, 20-25 ft. spread.

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
MAPLE, Tartarian Maple (A. Ginnala, syn. A. Tataricum var. Ginnala).							
3500	4-12	seedlings.	..			4 00	
280	1	15	1 25	10 00	
50	2½	30	2 50		
25	4	50			
40	6	75	5 00		

MAPLE, Ash Leaf, Box Elder.

2	12	2	..	75			
1	16	3	7	2 00			
1	23	4	12	10 00			
1	24	5	10	12 00			
2	28	7	14	15 00			

MULBERRY, Weeping, Teas' (M. alba, var. Tatarica pendula).

24	1	15			
50	2	30			
90	3	40	3 00		
90	4	50	4 00		
25	6	..	3-5	75	6 00		
10	8	..	4	1 25			

OAK, White (Quercus alba).

9000	4-18 in.	2 yr. transpl.		05	45	4 25	40 00
25	4	75			

OAK, Swamp, white (Q. bicolor).

200	6-12 in.	10	90	8 00	
230	1	20	75	15 00	
300	2	30	2 75	25 00	
25	4	50	4 50		
9	7	75			
18	10	1½-2	..	2 00			
5	12	2	4-6	4 00			
6	14	2¼-3	6-8	6 00			
4	16	2½-4	7-9	8 00			
4	18	2½-3	6	15 00			

OAK, Mossy Cup, or Burr (Q. macrocarpa).

1100	6-12 in.	05	45	4 25	40 00
50	4	1 00			
15	6	1 50			
4	8	2 25			
3	14	2½	..	5 00			
2	18	4	10-12	18 00			
1	21	5	10	20 00			
4	26	6-7	15-18	35 00			

OAK, English, or Royal (Q. pedunculata; syn. Q. robur).

275	1	2 yr.	..		50	2 50	
850	1½		1 50	10 00	
300	2	20	1 75	15 00	
75	3	25	2 00		
200	4	40	3 50	10 00	
300	6	75	7 00	50 00	
60	8	1 25	9 00	85 00	
85	10	1 50	12 00		
55	12	1½-2½	4	1 90	18 00		
40	14	2¼-3	4-6	2 00	19 00		
3	16	2¾	5	4 00			

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
MULBERRY, Weeping.—Continued.							
4		2 year heads.		\$1 00			
5		3 year heads.		1 50			
30	8-10	7 year heads.		8 00			

OAK, Pin (Quercus palustris).

12000	6-12 in.	2 yr. transpl.			\$1 00	\$2 50	\$20 00
1250	2	20	1 75	15 00	
200	5	60	5 00		
130	6	1 00	9 00		
200	8	1 25	10 00		
300	10	1½-2½	3-7	2 00			
100	12	1¾-3	4-8	2 25			
50	14	2-4	6-9	2 75—	4 00		
40	16	3-4½	7-9	4 00—	6 00		
35	18	3¼-4¾	7-15	Price on selection.			
Some of these are broad specimen trees. Others are narrow trees for mass planting. All are growing 15 to 30 ft. apart.							
25	20	4-6	9-12				
35	22	4-8	9-12				
25	24	5-7	9				
9	26	5½-13	10-23				
11	28	6-11	12-25				
14	30	6-15	10-21				
12	32	6-13	14-21				
8	34	8-13	12-22				
1	36	12	25				
3	40	9-11	15-18				

OAK, Scarlet (Q. coccinea).

1600	3-6 in.	2 yr. transpl.			45	4 25	40 00
180	1		1 50	10 00	
25	4	75			
12	6	1 00			
10	8	2 00			
20	10	2-2½	..	2 50			
15	12	2-3	6	8 00			
15	14	2¼-3½	6-8	15 00			
7	16	4	8	20 00			
6	18	3½	8-10	22 00			
9	20	4-5	8-10	25 00			
3	22	5	9	28 00			

OAK, Red (Q. rubra).

625	3-6 in.			5 00	
3000	6 in.-1			8 00	50 00
1200	1			10 00	
100	2		2 50	20 00	
340	4	40	3 50	30 00	
25	5	75			
135	6	1 00			
120	8	1 75			
5	10	2 50			
10	12	1¾	..				
16	14	2-3	5-9				
12	16	2½-3½	..				
9	18	3-3¾	6-8				
4	20	3¾-4¼	6-10				

OAK, Willow (Q. Phellos).

15	6-8	1 50			
5	8-10	3 00			

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
OAK, Pyramidal English (<i>Q. pedunculata</i> , var. <i>fastigiata</i>).							
20	4	1 00			
3	6	2 00			
20	10	5 00			
OAK, Chestnut Oak (<i>Q. prinus</i>).							
690	4-8 in.	05	45	4 50	
800	1-2	25	2 00	18 00	
100	3	50	4 00		
10	7	1 00			
16	10	2 50			
OAK, Black (<i>Q. velutina</i>).							
270	1	10	90	7 50	
OAK, Post (<i>Q. stellata</i> , syn. <i>obtusiloba</i>).							
10000	3-8 in.		50	4 50	40 00
180	1	40	3 75	30 00	
OAK, Turkey (<i>Q. cerris</i>).							
300	1		1 50	10 00	
5	6	1 00			
3	8	1 25			
OAK, Scrub (<i>Q. ilicifolia</i>).							
950	3-6 in.	08	60	5 00	
10	4-6	75			
PAULOWNIA imperialis (Empress Tree).							
10	8	75			
1	24	12	30	Price on application			
1	24	10½	9				
PAW PAW (<i>Asimina</i>).							
3	3-6	1 50			
PHELLODENDRON Amurense (Chinese Cork Tree).							
60	6-8	60	5 00		
12	9	75	6 00		
35	10	1 25	11 00		
35	12	1 50	12 50		
15	14	2 25			
A very vigorous and healthy tree from Eastern Siberia which we recom mend highly for mass planting or broad lawn specimens.							
PLANE TREE (<i>Platanus orientalis</i>).							
45	6-8	50	4 50		
25	8-10	1 00	9 00		
100	10-12	1 25	10 00		
20	14-18	3 00—8 00			
5	20-24	10 00—20 00			
2	25				
PERSIMMON.							
18	6 in.	20			
8	5	50			
POPLAR, Carolina (<i>Populus deltoides</i> , var. <i>Caroliniensis</i>).							
60	8	30	2 50	20 00	
150	10	50	4 50	35 00	
25	12	60	5 00	45 00	
12	16	1 00	8 00		

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
POPLAR, Lombardy (<i>P. nigra</i> , var. <i>Italica</i> , syn. <i>P. fastigiata</i> , syn. <i>dilitata</i>).							
85	6	30	2 75	25 00	
145	8	45	4 00	35 00	
200	10	60	5 00	45 00	
POPLAR, Japanese (<i>P. sauveolens</i>).							
1000	2				
14	4	25	2 00		
55	6-8	50	4 50		
135	8-10	75	7 00		
125	10-12	1 25	11 00	100 00	
205	12-14	1 40	13 00	125 00	
75	14-16	1 60	15 00		
2	26				
1	33	25 00			
2	35	40 00 up			
14	40	40 00 up			
POPLAR, Balsam (<i>P. balsamifera</i>).							
300	2				
100	3				
6	10	75			
6	12	1 00			
6	16	1 25			
2	18	3 00			
1	24	10 00			
1	40	20 00			
POPLAR, Bolleana.							
2	12	1 50			
5	16	2 00			
PTEROCARYA.							
240	4-6 in.	S.	..	15	1 25	10 00	
65	1-1½	50			

This is one of the most rapid growing trees of this region. It is certainly the most rapid in width of growth. These are from the great tree at Dana's Island, Glen Cove, which is about 60 ft. wide and 30 ft. high.

SASSAFRAS.

20	3	40
1	18	9 00

SOPHORA Japonica (Japan Pagoda Tree).

22	3-4	1 25
19	5	1 50

STYRAX Japonica (See Shrubs).**STYRAX American.**

12	2½-4	1 00
10	6-9	2 00

SILVER BELL, or SNOWDROP TREE (*Halesia tetraptera*, syn. *Mohroden-dron tetraptera*).

465	3-6 in.	10	90	8 00
300	1	25	2 00	
95	2	35	3 00	
25	3	50		
30	5	85		
7	7	1 50		

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
THORN, Paul's Double Scarlet (Hawthorn; <i>Crataegus monogyna</i> , var. <i>Pauli</i>).							
16	4	50			

THORN, Cockspur (*C. Crusgalli*). As a substitute for the English Hawthorn hedge this is the best.

1100	2½	40	3 00	20 00	
200	3	50	4 00	30 00	
225	4	60	5 00		
35	6	75			

TULIP (*Liriodendron tulipifera*).

1000	4-12 in.	S.	..	15	1 40	12 00	
150	4	50	4 50		
250	6	1 00	9 00		
85	8	1 50			
50	10	2 25			
15	12	2 75			
3	14	2½-3¾	7	Price on selection			
2	18	3-4	8				
5	20	4-5½	9-11				
6	22	4½-6	10-14				
3	24	5-6	14				

TULIP, Pyramidal.

6	2	1 00			
10	5	1 50			
9	7	2 50			

YELLOWWOOD (*Cladastris tinctoria*).

35	2	40			
10	4	50			
14	5	85			
25	6	1 25			

Specimens 12-18. Price on selection.

WILLOW, Babylonian Weeping (*Salix Babylonica*).

20	7	40			
2	14	2¼	..	1 50			
1	16	3	9				
1	20	3½	..				
1	24	4½	15				
1	28	4½	15				

WILLOW, Salamon's (*S. Babylonica*, var. *Salamonii*).

130	3	15	1 25		
280	6	50	3 50		
35	8	75			
5	10	1 00			
2	14	2¾	..	1 25			
1	18	3¼	12				
3	24	8½	27				
1	28	9¾	25				

WILLOW, Golden (*S. vitellina*, var. *aurea*).

175	2	10	90		
65	6	50	3 50		
115	8	75	5 00		
45	10	1 00	9 00		

WILLOW, Laurel-leaf (*S. pentandra*).

400	2	10	90	8 00	
300	4	30	2 50	20 00	
340	6	60	4 00	35 00	

STOCK PRICE LIST.

Quan.	Height in feet	Diameter in inches	Spread in feet	Each	Per 10	Per 100	Per 1000
WILLOW, Thurlow's (<i>S. elegantissima</i>).							
30	2	15			
14	8	85			
7	10	1 00			
1	25				
WILLOW, Red-Barked (<i>S. vitellina</i> , var. <i>Britzensis</i>).							
175	2	08	70	6 00	
WILLOW, Sieboldi.							
70	6-9	40	3 75		
WALNUT, Black (<i>Juglans nigra</i>).							
125	1	S.	..	10	90		
90	2	30	2 50		
18	6	75			
6	8	1 00			
8	12	2 1/2	8-10	2 00			
3	14	4	10	3 00			
6	16	3 1/4	12	4 00			
1	18	4	12	8 00			
1	22	4	10	15 00			
WALNUT, Butternut (<i>J. cinerea</i>).							
50	2	25	2 00		
2	4	75			
5	6	1 00			
1	12	2 00			
WALNUT, English (<i>J. regia</i>).							
30	1	50	4 50		
10	4	1 25			
WALNUT, Japan (<i>J. cordiformis</i>).							
100	1 1/2	30	2 50	20 00	
8	3	60			
12	4	75			
12	6	1 25			
18	10	2 00			
1	14	4	..	4 00			
3	16	6	15	6 00			
ZELKOVA acuminata.							
45	4	50	4 50		
5	6-10	1 00			

EVERGREEN TREES

CONIFERS

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
ARBOR VITÆ, American (Thuya occidentalis).						
865	1	..	\$0 15	\$1 25	\$12 00	
180	2	..	40	3 75	25 00	
75	3	..	1 00	8 75	35 00	
75	4	..	2 00	18 50	85 00	
35	5	2	2 50	22 50		
120	6	2-3	3 50	23 50		
20	8	2-4	7 00			
7	10					
3	12					
1	15					

ARBOR VITÆ, Siberian (T. occidentalis, var. Wareana; syn. T. Sibirica).

225	1	..	75	6 00		
190	2	..	1 00	10 00		
100	3	..	2 50	22 50		
95	4	2-3	5 00	45 00		
25	5	2-3	6 00	55 00		
20	6	2-4	7 00			
4	8	4	15 00			
4	10					

These are accurately sheared to uniform pyramids and are suitable for tubs, vases and formal gardens.

ARBOR VITÆ, Pyramidal (T. occidentalis, var. pyramidalis).

20	4	..	2 00	18 00		
30	5	1½	3 50	32 50		
30	7	2	7 00			
2	8					
2	12					

ARBOR VITÆ, Booth's (T. occidentalis, var. Boothii).

150	1	..	50	4 50	40 00	
10	2	..	1 00			
6	3	..				
3	5	..				
4	6	..				
1	9	..				

Large domes, 3 to 9 feet high, trained by machine to uniform shape, resembling old boxwood; prices on selection.

ARBOR VITÆ, Golden, or Geo. Peabody (T. occidentalis, var. lutea).

70	1	..	1 00	9 00		
30	2	..	1 25	12 00		
35	3	..	2 25	20 00		
19	4	..	3 00	27 50		
4	5	..	4 00			

ARBOR VITÆ, Chinese (T. orientalis; syn. Biota orientalis).

2800	2-6 in.	..		12 00		
------	---------	----	--	-------	--	--

These will make a good garden border, like boxwood, as they can be kept sheared low.

ARBOR VITÆ, Chinese Golden.

120	6 in.	..	15			
9	3	..	1 50			
5	4-6	..	2 50			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
ARBOR VITÆ, Dwarf (T. occidentalis, var. globosa).						
750	6 in.	..	20	1 80	17 00	
115	1	..	50	4 50		
30	1½	1½	1 00	8 50		
40	2	2	2 00	18 50		
20	2½	2½	2 50	22 50		
2	3	..	4 00			

These have been accurately pruned to broad domes for formal planting.

ARBOR VITÆ, Standish Japanese (T. Japonica, syn. Thuyopsis Standishii).						
15	1	..				
20	2½	..	85			
20	3	..	1 00			
50	3½	..	1 50			
9	4	..	2 00			
15	5	..	3 00			

CEDAR, Red (Juniperus Virginiana).

450	1	..	15	1 40	12 00	
600	2	..	35	3 00	18 00	
2200	3	..	60	3 50	35 00	
830	4	..	1 00	9 00		
350	5	..	1 50	12 35		
350	6	..	2 00	18 50		
315	8	..				
150	10	..				
55	12	..				
40	12	..				
17	16	..				
40	18	..				
25	20	..				
33	22	..				
29	24	..				
22	26	..				
4	27	..				
1	30	..				

The above in our nursery have been largely sheared to uniform dense pyramids. They are the cheapest evergreen for mass planting, tall hedges, screens, windbreaks, and cover planting. They are hardy and will thrive in the poorest soil and most severe exposure on hill or shore. In the collecting fields we have, approximately, the following:

900	8	..
1000	12	..
500	16	..
300	20	..
100	24	..
40	28	..
20	30	..

August and September and the Winter are good seasons for moving them.

CEDAR ARCHES.

20	8	8	20 00
----	---	---	-------

Suitable for formal gardens, to arch a path, or for entrance gateway.

CEDAR, Blue (Juniperus Virginiana, var. glauca).

14	3	..	1 50
20	4	1½	2 50
7	5	2	4 00
5	6	3	6 00
2	8	3	8 00

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
CEDAR, Mt. Atlas (<i>Cedrus Atlantica</i>).						
2700	4 in.	1 yr. seedlings.	08	60	5 00	45 00
11	6 in.	..	50			
12	1	..	75			

These trees are from seed of a beautiful old tree on the estate of the late Chas. A. Dana, at Glen Cove, L. I. The tree is the color of the Colorado Blue Spruce, but not as light blue as the next variety. They should be planted with groves of pine and spruce.

CEDAR, Blue Mt. Atlas (*Cedrus Atlantica glauca*).

16	3	..	2 50	20 00		
13	4	..	3 00			
13	5	..	4 00			

CEPHALOTAXUS Fortunei.

150	3 in.	..	15	1 25	10 00	
25	2	..	1 00			
25	3	..	3 00			
17	4	..	4 00			
12	5	..	5 00			

CRYPTOMERIA Japonica.

700	6 in.	..			6 00	
-----	-------	----	--	--	------	--

FIR, Nordmann's (*Abies Nordmanniana*).

1500	2 in.	1 yr. seedlings.	10	90	8 00	75 00
55	6 in.	..	20			
355	1	..	75		65 00	
165	2	..	2 00	18 00		
160	3	3	4 00	35 00		
90	4	3 ½	6 00	55 00		
40	5	4	9 00			
40	6	4	12 00			
20	8	5-7				
19	10	6-8				
9	12	6-7				
9	14	7-9				
5	16	9				
2	18	8				
1	20	7				

FIR, Silver (*A. Picea*; syn. *A. pectinata*).

13	2	..	1 00			
9	3	..	1 50			
8	4	..	2 50			
14	6	2 ½-5	3 00			
4	8	4-6	5 00			
20	10	4-6	15 00			
18	12	6-8	18 00			
4	14	6-7	20 00			
3	16	7	24 00			
1	18	7	30 00			

FIR, Cephalonian (*A. Cephalonica*).

200	2 in.	1 yr. seedlings.	10	90	8 00	
16	1 ½	..	1 00			
25	2	..	2 00			
12	3	2	3 00			
3	4	3	6 00			
10	5	3				
9	6	3-5				
5	9	6				
4	10	6				
4	12	6				
3	14	8				

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
FIR, Balsam (A. balsamea).						
16	1½	..	20			
17	2	..	60			
13	3	..	75			
FIR, Fraser's Balsam (A. Fraseri).						
21	2	..	1 00	8 50		
45	3	..	1 50	10 00		
60	4	3	1 75			
11	5	3	2 00			
FIR, Concolor or White (A. concolor).						
2735	2-6 in.	..	10	45	5 00	
125	1	..	1 00	9 00		
190	2	..	2 50	20 00		
35	3	2	3 00			
6	4	3				
2	5	3				
4	6	3				
NOBILIS glauca, (A. nobilis glauca).						
200	1-2 in.	..	15	1 40	12 00	
10	1	..	2 00			
2	2	..	4 00			
ABIES, VEITCHII.						
14	1	..	1 50			
25	2	..	2 00			
4	3	..				
5	4	..				
3	8	..				
ABIES, Sub-Alpina.						
13	1	..	1 50			
8	2	..	2 50			
ABIES, Sibirica.						
6	2	..	1 00			
4	6	..	6 00			
ABIES Firma.						
2	2	..	1 00			
1	7	..	5 00			
2	9	..	8 00			
2	12-14	..				
HEMLOCK, American (Tsuga Canadensis).						
425	1	..	30	2 75	25 00	
640	2	..	50	4 75	45 00	
550	3	..	1 25	10 00	115 00	
335	4	3-5	2 00	17 50	160 00	
190	5	3-5	2 50	22 50	220 00	
280	6	2½-5	4 00	32 50	300 00	
100	8	4-5	5 00	47 50		
4	10	..				
7	12	..				
2	14	..				
1	19	..				
HEMLOCK HEDGE. About 30 years old, 9 ft. high and 9 ft. wide, clipped to uniform shape, and prepared for successful transplanting.						
HEMLOCK, Carolina (Tsuga Caroliniana).						
75	1	..	35			
7	2	..	75			
45	3	..	1 00			

JUNIPER, Irish (*Juniperus communis*, var. *Hibernica*).
 Quan. Height in feet Spread in feet Each Per 10 Per 100 Per 1000

11	2	..	75			
12	3	..	1 00			
12	4	..	1 50			
2	5	..				

JUNIPER, Common (*J. communis*, var. *Canadensis*).

21	6 in.	1	75	7 00		
9	1	1½	1 25			
20	1-2	2-2½	2 00			
8	1-2	3				
2	1-1½	4				

JUNIPER, Golden (*J. communis*, var. *Canadensis aurea*).

60	1	1½	1 25	10 00		
15	1-2	2-2½	2 25	20 00		
16	1-2½	3	3 00	25 00		

JUNIPER (*J. Chinensis*, var. *procumbens*).

60	6 in.	1	1 25	10 00		
25	6 in.	1½	1 50	12 50		
15	6 in.	2	1 75			

JUNIPER, Prostrate or Trailing (*J. Sabina*, var. *prostrata*).

15	6 in.	2-3	2 00			
----	-------	-----	------	--	--	--

PINE, White (*Pinus Strobus*).

27300	1-3 in.	1 yr. seedlings.		10	50	5 00
5000	3-5 in.	2 yr. seedlings.		25	2 00	15 00
31000	4-9 in.	3 yr. transpl.		50	4 50	40 00
450	1	..	20	1 75	15 00	
1500	1½	..	30	2 75	25 00	
900	2	..	40	3 75	35 00	
500	3	..	75	6 50		
150	4	..	1 00			
25	5	..	3 00			
25	6	..	6 00			
25	8	..				
70	10	..				
50	12	..				
60	4	..				
20	16	..				
20	18	..				
25	20	..				
15	24	..				
6	30	..				
5	40	..				

These large White Pines present an unparalleled opportunity to plant old specimens and to make groves, shelter belts and screens.

PINE, PITCH (*Pinus rigida*). Best for very dry sand and seashore planting.

1000	6-12 in.	..			3 00	20 00
8000	1-1½	..	08	70	7 50	60 00
6000	2	..	20	1 80	15 00	
500	3	..	75	7 00	40 00	
70	4	..	1 00	9 00		
20	5	..	1 25	12 00		

PINE, Scotch (*Pinus sylvestris*).

1500	6 in.	(3 yr.)	05	50	4 50	40 00
5000	1	(3 yr.)	08	75	6 00	50 00
2700	1½	(3 yr.)	20	1 75	15 00	120 00
250	2	..	35	3 00	20 00	
50	2½	..	45	4 00		
90	3	..	50	4 50		

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
PINE, Austrian, (<i>P. laricio</i>, var. <i>Austriaca</i>).						
2000	4-8 in.	(2 yr.) seedlings.			2 00	15 00
600	6-12 in.	(3 yr.)			8 00	
500	1	(3 yr.)			10 00	
600	1½	(3 yr.)	50	4 00	25 00	
275	2	..	75	4 00	45 00	
50	2½	..	1 00	9 00		
60	3	..	1 50	10 00		
20	4	2-3	2 50			
10	5	3	4 00			
8	6	4	7 00			
5	8	5				
1	13	8				
1	15	8				
1	17	9				
PINE, <i>densiflora</i>.						
1500	2-4 in.	(1 yr.) seedlings.			1 00	8 00
890	1	(3 yr.)	15	1 25	10 00	
550	1½	(3 yr.)	18	1 50	12 00	
200	2	(3 yr.)	25	2 00	15 00	
50	2½	..	30	2 50		
50	3	..	1 50	12 50		
25	4	..	2 00	15 00		
14	5	..	4 00			
4	6	..	5 00			
5	8	..	6 00			
3	10	..	12 00			
1	12	..	18 00			
PINE, Korean (<i>P. Koraiensis</i>).						
300	4-4 in.	(2 yr.)			20 00	
7	1½	..	1 50			
40	2	..	2 50			
14	3	..	6 00			
4	4	..	7 00			
PINE, Mugho, Mountain Pine (<i>P. Montana</i> var. <i>Mughus</i>).						
2800	1-3 in.	(1 yr.) seedlings.			3 00	20 00
170	3-6 in.	..	20	1 75	15 00	
130	1	..	50			
60	1½	..	1 50			
50	2	..	2 00—6 00			
2	3	..				
2	4	..				
PINE, Red (<i>P. resinosa</i>).						
55	1	..	25	2 00		
65	2	..	75	7 00		
100	3	..	5 00	45 00		
15	4	..	6 00	55 00		
10	5	..				
5	6	..				
4	10	..				
PINE, Swiss Stone (<i>P. cembra</i>).						
16	1½-2	..	1 00			
25	2-3	..	2 00			
5	3	..	2 50			
1	4	..				
5	6	..				
1	10	..				
PINE, <i>Flexilis</i>.						
150	2 in.	5			5 00	
4	1½	..	1 50			

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
PINE, Bhotan (P. excelsa).						
600	2 in.	(2 yr.)		1 00		
15	2	..	1 00	9 00		
26	3	..	2 00	18 50		
10	4	..	3 50			
8	5	..				
8	6	..				
2	10	..				
1	13	..				
1	16	..				

PINUS, Contorta.

33	2	..	50	4 00		
26	3	..	75	6 00		

PINE, Jack (P. divaricata, syn. Banksiana).

1850	6-12 in.	seedlings.			2 00	15 00
14	1	..	25			
5	2½	..	40			

PINE, Weeping. From Japan.

4	2	2-4	4 50			
2	3	2-4	5 00			
1	4	2	8 00			

PINUS, Ponderosa.

670	6-12 in.	seedlings.			5 00	
2	3	..	1 50			

PINUS, parviflora.

12	1½	..	1 25			
16	2	..	2 00			
1	4	..	4 00			
3	5	..	5 00			

PINUS Massoniana.

900	2 in.	seedlings.			8 00	
1	3	..				
1	8	..				

PINUS, monticola.

8	2	..	2 00			
---	---	----	------	--	--	--

PINUS PEUCE.

10	1½	..	2 00			
----	----	----	------	--	--	--

PINE, Umbrella (Sciadopitys verticillata).

3	1½	..	3 00			
7	3	..	6 00			
4	4	..	8 00			
4	5	..	12 00			
2	6	..				

RETINISPORA. Sheared dense specimens, excellent for mass planting about house foundations, for formal planting and garden decoration.

RETINISPORA, plumosa viridis (Chamæcyparis).

5	1	..	40			
59	3	2-3	2 00	18 00		
85	4	2½-4	3 50	32 50		
55	5	3-5	5 00	40 00		
35	6	4	6 00			
5	8	..	12 00			
1	10	..				
3	12	..				

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
RETINISPORA, plumosa aurea (Golden Japan Cypress).						
11	3½	3	2 50			
25	4	3	3 00			
13	4½	3	4 00			
20	5	3-5	4 50			
10	6	4	7 00			
3	8	..	12 00			
1	10	..	15 00			
1	12	..	20 00			

RETINISPORA, squarrosa (Blue Japan Cypress).

10	2½	2-3	2 50	22 50		
20	3	2½-3	3 00	27 50		
20	3½	2½-3	3 50	32 50		
35	4	3	4 00	37 50		
25	4½	3	4 50	40 00		
35	5	3-4	5 00	47 50		
25	5½	3½-5	6 00			
12	6	3½-5	8 00			
5	7	5	9 00			
2	8	5	12 00			

RETINISPORA, filifera (Thread-branched Japanese Cypress).

4	1	..	50			
30	2-3	..	2 00			
2	3½	..	3 00			
3	4	..	5 00			
2	5	..	6 00			
4	7	..	10 00			

RETINISPORA, obtusa (Obtuse-leaved Japanese Cypress).

17	2	..	2 00			
30	3	..	3 00			
3	4	..	4 00			
7	5	..	5 00			
7	8	..	7 00			

RETINISPORA, obtusa nana (Dwarf obtuse-leaved Japanese Cypress).

220	3-6 in.	..	40	3 50		
20	1	..	1 50			
3	2	..	3 00			

SPRUCE, White (Picea alba).

160000	1-2 in.	seedlings.				5 00
10000	2-6 in.	(2 yr.)			3 00	25 00
750	6-12 in.	..	10	90	8 00	
1000	1	..	25	2 00	18 00	
350	1½	..	75	7 00	65 00	
550	2	..	1 00	8 50	75 00	
75	3	..	2 50			
40	4	..	5 00			
25	5	..				
20	6	..				
8	8	..				
8	10	..				
16	12	..				
5	14	..				
2	16	..				
2	18	..				
1	20	..				
1	22	..				

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
SPRUCE, Norway (<i>Picea excelsa</i>).						
4100	1-2 in.	(1 yr.) seedlings.				8 00
1000	1-1½	..			8 00	
975	1½	..			12 00	
930	2	..	20	1 80	15 00	
51	3	..	1 00	9 00		
34	4	..	2 00	10 50		
23	5	..	3 00	27 50		
21	6	..	4 00			
22	8	..	6 00			
11	10	..				
18	12	..				
20	14	..				
8	16	..				
12	18	..				
10	21	..				
6	22	..				
3	24	..				
1	28	..				
SPRUCE, Alcock's (<i>P. bicolor</i> , syn. <i>Alcockiana</i>).						
3100	2 in.	(1 yr.) seedlings.			3 00	25 00
34	1	..	75	7 00		
48	2	..	1 50	12 50		
21	3	..	2 00			
2	4	..	5 00			
1	5	..	6 00			
9	6	..	9 00			
9	8	..	10 00			
5	10	..				
SPRUCE, Oriental (<i>Picea orientalis</i>).						
45	1	..	75			
45	1½	..	1 50			
60	2	..	1 75			
65	2½	..	3 00			
12	3½	..	5 00			
10	4	..	6 00			
15	5	..	8 00			
15	6	..	9 00			
2	8	..				
2	10	..				
2	12	5				
2	14	6				
2	13	6				
1	15	7				
1	16	6½				
1	17	5½				
1	21	7				
SPRUCE, Colorado Blue (<i>P. pungens</i> , var. <i>glauca</i>).						
20	1	..	1 00	9 00	85 00	
92	2	..	1 50	14 00		
78	3	..	3 00	28 00		
10	4	..				
3	5	..				
3	6	..				
4	8	..				
6	10	..				
2	12	..				
1	14	..				
1	17	..				
SPRUCE, Colorado (<i>Picea pungens</i>).						
6000	2-6 in.	(3 yr.)	20	1 50	10 00	80 00
SPRUCE, (Picea Omorika).						
12	1	..	75			
14	1½	..	1 50			
2	3	..	3 00			
1	10	6				
1	14	7				

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
SPRUCE, Koster's Colorado Blue (P. pungens, var. glauca Kosterii).						
222	1	..	1 25			
226	2	..	2 50—3 50			
102	3	..	5 00			
12	4	..	6 00			
2	5	..				
3	6	..				
2	8	..				
SPRUCE, Engelmann's (P. Engelmanni).						
1200	2-6 in. (3 yr.)		20	1 50	10 00	
406	1	..	1 00	8 50		
226	2	..	1 50			
44	3	..	3 00			
2	6	4				
1	9	5				
1	11	7				
1	14	8				
SPRUCE, Tiger Tail (Picea polita).						
1000	2 in. seedlings.				8 00	
60	1	..	75	6 00		
15	1½	..	1 00			
19	2	..	2 00			
2	3	..	3 00			
4	5	2½	8 00			
SPRUCE, Douglass (Pseudotsuga Douglassi).						
1300	2-6 in. seedlings.				20 00	
1300	6-12 in. ..				25 00	
280	1½-2 ..	75	7 00		60 00	
166	2½ ..	2 00	18 50			
187	3 ..	2 50	22 50			
23	5 ..	4 00				
3	6 ..					
4	8 ..					
9	10 ..					
6	12 ..					
7	14 ..					
2	16 ..					
1	18 ..					
YEW, Japanese (Taxus cuspidata, var. capitata). Upright growing.						
564	2-9 in. (3 yr.)		30	2 50		
82	1	..	2 00			
56	2	..	4 00			
48	3	..	5 00			
3	4	..				
1	5	..				
2	7	..				
YEW, Japanese (Taxus cuspidata, var. capitata). Upright growing.						
10	1	..	1 00			
12	1½	..	3 00			
25	2½	..	4 00			
25	3	..	5 00			
3	4	..	6 00			
YEW, (Taxus cuspidata, var. brevifolia). Dwarf growing.						
50	1	..	1 00			
100	1½	..	2 50			
59	2	..	3 00			
YEW, Spreading English (Taxus repandens).						
142	1	..	2 00	18 50		
10	2	..	4 00			

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
YEW, English (T. baccata).						
187	3-10 in.	(3 yr.)	25			
103	1	..	75			
75	2	..	1 25			
13	3	..	2 50			
8	4	..	3 00			
2	5	..	4 00			
3	6	..	5 00			

YEW, Golden English (T. baccata, var. elegantissima).

19	6 in.	..	50			
79	1	..	75			
9	2	..	2 00			
2	3	..				

YEW, Irish.

5	2½	..	2 00			
---	----	----	------	--	--	--

TAXUS, Canadensis.

20	2	..	2 00			
----	---	----	------	--	--	--

YEW, Korean (Cephalotaxus pedunculata, var. fastigiata).

14	2-12 in.	..	50			
6	2	..	1 75			
6	3	..	4 00			
1	4	..				

FLOWERING SHRUBS

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
ALTHEA (Rose of Sharon; Hibiscus Syriacus).						

Single Pink.

75	2	..	\$0 20	\$1 75		
10	3	..	30	2 75		
2	8	..	3 00			
1	10	..	5 00			
1	14	..	8 00			

Single White.

50	2	..	20	1 75		
250	3	..	30	2 75		
150	4	..	40	3 50	25 00	

Assorted. Double Red, Pink, Purple, etc.

40	2	..	20	1 75		
30	3	..	30	2 75		
3	9-12	..	4 00			

ANDROMEDA recurva.

16	3	..	40			
5	4	..	75			

AZALEA amœna. See Broad-leaved Evergreens.

AZALEA arborescens.

90	1	..	50	4 00		
90	2	..	1 25	11 00		
60	3	..	2 00	15 00		
5	4	..	3 00			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
AZALEA, Chinese (<i>Azalea mollis</i>).						
50	1	..	50	4 00		
110	1½	..	65	6 00		
135	2	..	85	7 50		
80	2½	..	2 00	17 50		
40	3	..	3 00	27 50		
7	3½	..	3 50			
AZALEA lutea , syn. <i>A. calendulacea</i> .						
100	½-1	..	30	2 50	22 50	
400	1	..	40	3 00	27 50	
450	1½	..	65	6 00	50 00	
325	2	..	85	7 50	70 00	
20	4	..	2 00			
20	5	..	2 50			
AZALEA, Ghent (<i>Azalea pontica</i>).						
75	1½	..	1 00			
150	2	..	1 50	12 50	110 00	
90	2½	..	2 00	18 00		
35	3	..	2 50			
9	3	..	4 00			
12	4	..	6 00			
6	4½	..	7 00			
AZALEA nudiflora (Pinxter Flower).						
75	1	..	30	2 50	20 00	
600	2-4	..	60	5 00	40 00	
30	4	..	75			
AZALEA, Southern (<i>Azalea Vaseyi</i>).						
45	1	..	40	3 50		
45	2	..	1 25	10 00		
10	3	..	3 00	25 00		
50	4	..	3 50	40 00		
AZALEA, Swamp (<i>Azalea viscosa</i>).						
45	2	..	75	6 00		
70	3	..	1 00	8 00		
30	4	..	1 25	10 00		
25	5	..	1 50	12 50		
3	6	..	3 00			
BARBERRY, European (<i>Berberis vulgaris</i>).						
80	1	..	10	90		
100	2	..	25	2 00		
30	3	..	30			
BARBERRY, Purple (<i>Berberis vulgaris</i> , var. <i>purpurea</i>).						
100	1	..	10	80		
25	2	..	20	1 80		
60	3	..	30	2 50		
15	4	..	35			
BARBERRY, Japanese (<i>Berberis Thunbergi</i>).						
16,000	6-8 in.	1 yr. S.			5 00	40 00
1100	½	..			8 00	
4500	1	..	10	1 00	9 00	
1300	1½	..	18	1 50	12 00	
800	2	..	25	2 25	20 00	
350	2½	..	30	2 50	22 50	
BAYBERRY (Wax Myrtle; <i>Myrica cerifera</i>).						
100	3 in. S.	..	05	40	4 00	
100	2	..	25	2 00		
16	3	..	50			

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
BUTTON BUSH (<i>Cephalanthus occidentalis</i>).						

30	3	..	25	2 00		
50	4	..	30	2 50		

CALLICARPA, Japonica.

40	4	..	40			
----	---	----	----	--	--	--

CATALPA, Bungei, Bush form

75	2	..	25			
95	3	3	50	4 00	30 00	
90	4	4	75	5 00	40 00	
20	5	6	1 00	7 50		
50	6	5-7				

These Catalpa Bungei have been trimmed to dense domes and are excellent for formal planting or for seaside mass planting.

CHOKE BERRY (*Aronia nigra*; syn. *Pyrus arbutifolia*).

100	6	..	50	3 00	25 00	
-----	---	----	----	------	-------	--

COCHORUS (*Kerria Japonica*).

30	2	..	15			
15	3	..	20			
95	4	..	25	2 00		

CORNELIAN Cherry (*Cornus Mas*).

12	3	..	50	4 00		
10	4	..	75			

DEUTZIA, crenata.

150	1	..	10	9 00	80 00	
30	3	..	25	2 00		
500	4	..	35	2 50	20 00	

DEUTZIA, Fortunei.

70	6	..	85	5 00		
----	---	----	----	------	--	--

DEUTZIA gracilis.

65	1	..	25	1 50		
225	1½	..	30	2 00	18 00	
45	2	..	35	3 00		

DEUTZIA, Lemoinei.

250	1	..	98	75	5 00	
25	2	..	25	2 00		
30	3	..	35	3 00		

DEUTZIA, Pride of Rochester.

325	1	..	08	70	6 00	
320	2	..	10	80	7 00	
280	5	..	75	4 00	25 00	
175	6	..	85	5 00	35 00	

DOGWOOD, Red-twiggged (*Cornus alba*, var. *Sibirica*).

10	2	..	12			
70	3	..	25	2 00		
200	4	..	35	3 00	25 00	

DOGWOOD, Red-twiggged (*Cornus sanguinea*).

35	1	..	08	75		
15	3	..	25	2 00		
25	5	..	35	2 50		

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
DOGWOOD, Silky (<i>Cornus sericea</i>).						
100	1	..	08	75	6 00	
100	1½	..	12	1 00	9 00	
300	2-4	..	25	2 00	18 00	
200	4	..	35	3 00	20 00	
DOGWOOD, Panicked (<i>Cornus paniculata</i>).						
55	2	..	18	1 50		
100	2½	..	20	1 80	15 00	
175	3	..	25	2 25	15 00	
50	4	..	30	2 50		
ELDER, Golden (<i>Sambucus nigra</i> , var. <i>aurea</i>).						
70	2	..	08	50		
50	3	..	20	1 75		
100	4	..	25	2 00	17 50	
ELDER, Marsh (<i>Baccharis halmifolia</i>).						
50	1½	..	20	1 75		
ELEAGNUS umbellata (Silver Thorn).						
180	1-3	..	20	1 75	15 00	
10	3	..	35			
2	6	..	1 00			
4	8	..	1 50			
2	10	..	3 00			
ELEAGNUS longipes.						
100	3-6 in.	..	10	90	8 00	
65	2	..	25	2 00		
75	3	..	75	6 00		
25	4	..	1 00			
EUONYMUS, Sieboldianus.						
25	4	..	60	5 00		
38	5	..	1 00	9 00		
30	6	..	1 25			
EXOCHORDA, grandiflora.						
600	10 in.	..	15	1 40	12 00	
80	2	..	30	2 50		
35	3	..	50	4 50		
10	4	..	60			
FONTANESIA, Fortunei.						
15	4	..	36	3 00		
50	5-7	..	50			
FORSYTHIA, Fortunei (Golden Bell).						
1400	1	..	08	75	6 00	
770	2	..	12	1 00	8 00	
25	3	..	25	2 00		
25	4	..	35	3 00		
10	5	..	60			
FORSYTHIA, suspensa (Golden Bell).						
190	1	..	08	75	6 00	
400	2	..	12	1 00	8 00	
85	3	..	20	1 75		
130	4	..	30	2 25		
130	5	..	50	4 00		
FORSYTHIA, viridissima (Golden Bell).						
145	1	..	08	75	6 00	
40	2	..	25	2 00		
15	3	..	30	2 50		
290	4	..	40	3 50	30 00	

Quan. Height in feet Spread in feet Each Per 10 Per 100 Per 1000
FORSYTHIA, viridissima—Continued.

9	5	..	60			
125	6	..	75	7 00	60 00	
40	7	..	85			

FRINGE, White (*Chionanthus Virginica*).

5400	2-3-in.	..		20	1 75	15 00
250	1	..	25	2 00	15 00	
80	2	..	35	3 00		
50	3	..	40	3 50		
80	4	..	50	4 00		
50	5	..	60	5 00		

GOLDEN BELL. See Forsythia.

HAZELNUT, American (*Corylus Americana*).

375	6-12 in.	..	05	4 50	4 00	
25	1½	..	25			

HAZELNUT, English (*Corylus Avellana*, Filbert).

18	2	..	25			
10	4	..	50			
3	6	..	75			
4	8	..	1 00			
2	10	..	2 00			

HERCULES CLUB (*Angelica Tree*; *Aralia spinosa*).

50	2	..	15			
22	4	..	20			
2	10	..	1 00			

ARALIA, pentaphylla.

175	1	..	10			
25	2	..	20			
60	3	..	25	2 00		
70	4	..	30	2 50		
15	5	..	75			

HONEYSUCKLE, Upright (*Lonicera Tatarica*).

975	1	..	10	90	8 00	
300	2	..	15	1 40	12 00	
1175	3	..	20	1 75	15 00	
50	4	..	50	3 50		
125	5	..	60	5 50	50 00	
175	6	..	75	7 00	65 00	
20	7	..	1 00			

HONEYSUCKLE, Fragrant (*Lonicera fragrantissima*).

250	6 in.	..	10	90	8 00	
65	2	..	20	1 80	15 00	
45	3	..	35	3 00		
9	4	..	50			

LONICERA, Morrowi.

300	1	..	10	90	8 00	
90	2	..	25	2 00	18 00	
70	3	..	40	3 50	30 00	
60	4	..	50	4 00		
9	5	..	75			

LONICERA, Maacki.

40	1	..	25			
50	2	..	50			

The most beautiful of the Bush Honeysuckles we have seen. Probably introduced for the first time from North China.

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
LONICERA, Philomelia.						
300	1	..	10	90	8 00	
70	2 1/2	..	25	2 00		
90	4	..	45	3 00		
HORSE CHESTNUT, Dwarf (<i>Æsculus parviflora</i>, syn. <i>macrostachya</i>).						
150	1 1/2	..	25	2 00	19 00	
15	2 1/2	..	40	3 50		
15	3	..	50	4 50		
HYDRANGEA <i>paniculata grandiflora</i>.						
300	2	..	20	1 50	12 00	
300	3	..	25	2 00	18 00	
50	4	..	30			
1	5	..	40			
HYDRANGEA, Oak-leaved (<i>Hydrangea quercifolia</i>).						
35	1	..	50			
8	2	..	75			
HYDRANGEA, <i>radiata</i>.						
35	3	..	25	2 00		
25	4	..	35	3 00		
HYDRANGEA, <i>Hortensis</i>, var. <i>Otaksa</i>. Large clumps, 3-4 years old.						
90	1-1 1/2	..	75	7 00		
HYPERICUM, <i>adpressum</i>. A low cover plant for shady places.						
200		..	25	2 25	20 00	
HYPERICUM, <i>densiflorum</i>.						
50	3	..	30	2 50		
INDIAN CURRANT (<i>Coral Berry</i>, <i>Symphoricarpus vulgaris</i>).						
400	1	..	10	90	8 00	
325	2	..	25	1 75	15 00	
ILEX, <i>monticolor</i>.						
7	3	..	50			
5	6	..	1 00			
2	8	..	1 25			
2	12	..	1 50			
ILEX, <i>monticola</i>.						
50	3	..	25	2 00		
20	5	..	50			
INDIGO BUSH (<i>Amorpha fruticosa</i>).						
200	3	..	10	90	8 00	
100	4	..	20	1 50	12 50	
70	5	..	25	1 75		
3	8	..	75			
JUDAS, <i>Japan</i> (<i>Cercis Chinensis</i>, syn. <i>Japonica</i>).						
250	1	..	12	1 10	10 00	
140	2	..	15	1 40	12 00	
4	3	..	50			
3	5	..	75			
LABURNUM, <i>vulgare</i> (Golden Chain).						
2775	6 in.	..	10	80	3 00	
100	2	..	12	1 00	8 00	
25	3	..	15			
8	7	..	50			
3	10	..	2 00			
2	12	..	5 00			

LILAC (*Syringa vulgaris*). Named varieties. Grafted. As follows: Professor Stockhardt, Ludwig Spath, Renoncule, Pyramidalis, Pres. Massart, Emile Liebig, Marie Legraye, Grandiflora, Pres. Grevy, Jules Finger, Emile Lemoine, Mme. Lemoine, Ville de Troyes, Belle de Nancy, Frau Dammann, Oblata, Charles X.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
600	1	..	30	2 50	18 00	
700	2	..	50	4 50	40 00	
500	3	..	1 00	9 00	80 00	
175	4	..	1 50	14 00		

LILAC, Common (*Syringa vulgaris*).

150	2	..	30	2 50	20 00	
275	3	..	35	3 00	25 00	
250	4	..	50	4 50		
50	5	..	1 00	9 00		

LILAC, White (*Syringa vulgaris*, var. *alba*).

100	1	..	15	1 20		
175	2	..	20	1 80		
95	3	..	50	3 25		
30	4	..	50	4 50		
15	5	..	75			

LILAC, Persian (*Syringa Persica*).

4	4	..	75			
2	7	..	1 25			

LILAC, villosa, var. Emodi.

35	2	..	50	4 50		
40	3	..	75	6 00		
70	4	..	1 00			
5	6	..	1 25			

LILAC, Japanese (*Syringa Japonica*).

13	3	..	75			
40	4	..	1 00			

LONICERA. See Upright Honeysuckle.

MAGNOLIA. See Magnolia, under "Trees."

MAPLE, Japanese (*Acer Japonicum*). Green.

400	6-9 in	..	15	1 25	10 00	
550	1	..	30	2 75	25 00	150 00
950	1½	..	35	3 00	25 00	150 00
350	2	..	40	3 50	30 00	
200	3	..	50	4 50	40 00	

Excellent shrubs for planting in large groups. Beautiful red tints on young growth all Summer and brilliant Autumn coloring.

MAPLE, Blood-leaved Japanese (*Acer palmatum*, var. *atropurpureum*).

24	1	..	40			
60	1½	..	50			
25	2	..	1 00			
20	2½	..	2 00			
25	3	..	2 50			
6	4	..	3 00			

MAPLE, Cut-leaved green Japanese (*Acer palmatum*, var. *dissectum*).

20	1½	..	1 25			
20	2	..	1 50			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
MAPLE, Cut-leaved Purple Japanese (<i>Acer palmatum</i> , var. <i>dissectum</i> ornatum, syn. <i>Atropurpureum</i>).						

45	1	..	1 50			
45	1½	..	1 75			
10	2	..	2 00			
4	2½	..	3 00			

MISSOURI FLOWERING CURRANT (*Ribes aureum*).

10	4	..	40			
20	5	..	50			

ORANGE, Hardy (*Citrus trifoliata*, syn. *Limonia*).

800	3-4 in.	..	02	15	1 00	
1700	1	..	15	1 25	12 00	
575	2	..	25	2 25	20 00	

An excellent defensive hedge plant. There are plants on a sand hill at Westbury, 10 feet high and so thick that a cat cannot get through. Our plants are grown from local seed. It was originally imported from Japan by the Department of Agriculture, and the size and flavor of the fruit have been improved.

PRIVET, Ibota (*Ligustrum Ibota*).

4400	1	..	08	75	7 00	
2600	1½	..	12	1 00	8 00	
650	2	..	15	1 00	8 00	
1500	3	..	18	1 25	10 00	
700	4	..	25	2 25	20 00	
75	5	..	40	3 00		
175	6	..	50	3 50		

PRIVET, Prostrate (*Ligustrum Ibota*, var. *Regelianum*).

3700	1	..	10	90	8 00	50 00
120	2	..	25	2 25	20 00	
120	2½	..	30	2 75	25 00	
500	3	..	35	3 00	27 50	
100	4	..	40	3 50		

PRIVET, Amoor (*Ligustrum Amurensis*).

30	3	..	15	1 25		
30	4	..	18	1 50		
20	6	..	25	2 00		

PRIVET, Media.

200	2	..	15	1 20	10 00	
250	3	2	20	1 75	15 00	
50	5	3	30	2 50		
50	6	4	35	2 75		

PRIVET, California (*Ligustrum ovalifolium*).

2000	1½	..	06	50	4 00	30 00
500	2	..	06	55	5 00	
2500	2½	..	07	65	6 00	50 00
2500	3	..	08	75	7 00	60 00
6000	4	..	10	1 00	9 00	80 00
4000	5	..	15	1 40	12 00	
800	6	2½-4	25	2 00	18 00	
200	7	4	40	3 75	35 00	
30	9	5	1 50			
5	10	..	5 00			

PRIVET, Standard. Bay-tree form.

100	3-8	..	Price on selection.			
-----	-----	----	---------------------	--	--	--

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
-------	-------------------	-------------------	------	--------	---------	----------

PRIVET, Dome-shaped.

12	5	4	1 50			
25	5	7	Price on application.			

These larger domes are about 8 years old. They have been accurately trained as with a lathe. Excellent for terraces and formal gardens.

PRIVET, Pyramids.

25	6	1½	1 50			
8	7	2	2 00			

PRIVET, Arches.

24	8	6	15 00			
Mature plants about 7 years old.						

PRIVET, Variegated (*Ligustrum ovalifolium*. var. *aureum*).

30	3	..	25	1 80		
20	4	..	30	2 50		
3	9	..	1 00			

RHODOTYPOS kerrioides.

1000	1½-1½	2 yr.	05	45	4 00	
700	1	..	12	1 00	8 00	
500	2	..	20	1 75	15 00	
80	3	..	35	3 00		

SIBERIAN PEA TREE (*Carygana arborescens*).

300	1	..	08	75	6 00	
25	2	..	40			
50	3	..	45			
10	4	..	50			
10	5	..	75			

SILVER THORN. See *Eleagnus*.**SMOKE TREE (Mist Tree; Purple Fringe; *Rhus cotinus*).**

10	2	..	25			
10	3	..	30			

SNOWBALL. See *Viburnum*.**SPIREA, Thunberg's (*Spiræa Thunbergii*).**

590	6 in.	..	08	70	6 00	
150	1	..	12	1 00	10 00	
200	1½	..	25	2 00	18 00	
160	2	..	30	2 50	22 00	

SPIREA, Bridal Wreath (*Spiræa prunifolia*, var. *flore pleno*).

40	3	..	25			
----	---	----	----	--	--	--

SPIREA, *opulifolia*.

125	1	..	10	80	6 00	
125	2	..	12	1 00	8 00	
12	5	..	30			
90	6	..	40			

SPIREA, Van Houttei.

500	3-6 in.	..			8 00	
500	1-3	..	15	1 25	12 00	
375	3	..	30	2 50	22 00	
100	4	..	40	3 50		

SPIREA, Reevesi, syn. *Cantoniensis*, var. *flore pleno*.

75	4	..	25	2 00		
----	---	----	----	------	--	--

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
SPIREA, Golden (<i>Physiocarpus opulifolia</i> , syn. <i>S. opulifolia</i> , var. <i>aurea</i>).						
10	4	..	20	1 80		
75	6	..	45	4 00		
6	8	..	60			
SPIREA, Bumalda.						
70	1	..	15	1 25		
120	3	..	25	2 25	20 00	
SPIREA, Bumalda, var. Anthony Waterer.						
350	6-12 in.	..	15	1 20	8 00	
125	2	..	30	2 50	20 00	
40	2½	..	40			
SPIREA, callosa alba.						
35	3	..	25	2 25		
160	4	..	30	2 50	20 00	
SPIREA, Douglasi.						
150	3	..	20	1 75	15 00	
135	4	..	25	2 25	20 00	
70	5	..	30	2 50		
STEPHANANDRA, flexuosa.						
200	6 in.	..	12	1 00	6 00	
175	2	..	25	2 00	15 00	
15	4	..	35			
STAPHYLEA, Bumalda.						
2200	1	2 yr.		20	1 00	8 00
25	2	..	15	1 25		
85	3	..	25	2 00		
50	4	..	50	4 50		
50	6	..	60			
STUARTIA pentagyna.						
20	3	..	75			
29	4	..	1 00			
2	9	..	2 00			
STYRAX Japonica.						
200	6-9 in.	..			10 00	
375	1	..	15	1 40	12 00	
260	3	..	50	4 00	30 00	
35	5	..	1 50			
SUMACH (Rhus Osbecki).						
25	1-4	..	25			
2	7	..	1 00			
1	12	..	2 00			
1	17	..	4 00			
SUMACH, Cut- leaf (<i>Rhus typhina</i> , var. <i>laciniata</i>).						
11	1½-2½	..	75			
SUMACH, Dwarf (<i>Rhus aromatica</i>).						
30	3	..	50	4 00		
SNOWBERRY (<i>Symphoricarpus racemosus</i>).						
300	1-2	..		1 00	7 00	
40	3	..	25	2 00		
SWEET-SCENTED SHRUB (<i>Calycanthus floridus</i>).						
225	1	..	18	1 50	12 50	
45	3	..	30			

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
SWEET PEPPER BUSH (<i>Clethra alnifolia</i>).						
160	2	..	20	1 80	15 00	
70	3	..	30	2 00		
160	4	..	40	3 50	30 00	
145	5	..	50	4 50	40 00	
115	6	..	60	5 00	40 00	
SYRINGA (Mock Orange; <i>Philadelphus</i>).						
165	3	..	25	2 25	20 00	
20	4	..	40	3 75		
85	5	..	45	4 00		
50	6	..	60	5 50		
SYRINGA (<i>Philadelphus dianthus flore pleno</i>).						
20	2	..	35			
SYRINGA (<i>Philadelphus grandiflorus</i>).						
700	1	..			8 00	
30	3	..	25	2 00		
TAMARISK (<i>Tamarix Africana</i>).						
200	2	..	20	1 80		
100	3	..	25	2 00		
VIBURNUM, acerifolium.						
300	1	..			9 00	
590	2	..	15	1 25	10 00	
575	3	..	20	1 75	15 00	
VIBURNUM, cassinoides.						
65	3	..	40	3 00		
30	4	..	50	4 00		
VIBURNUM, dentatum.						
840	1	..	15	1 40	12 00	
50	2	..	20	1 80		
115	3	..	50	4 50		
VIBURNUM, dilatatum.						
600	3-6 in.	..	20	1 80	15 00	
250	1	..	30	2 50	20 00	
10	2½	..	40			
VIBURNUM, lantana.						
10	2	..	25			
15	3	..	40			
VIBURNUM, Lentago.						
100	3	..	40	3 50	30 00	
VIBURNUM, Molle.						
100	2½	..	20	1 80	15 00	
VIBURNUM, Nepalense.						
345	1	..	15	1 40	12 00	
290	2	..	20	1 80	15 00	
90	4	..	30	2 50		
20	6	..	75	6 00		
VIBURNUM, nudum.						
35	1½	..	25	2 00		
15	2	..	35			
25	3	..	40			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
VIBURNUM, opulus. High bush cranberry.						
50	2	..	20	1 80		
115	3	..	25	2 00	18 00	
14	4	..	30			
VIBURNUM, opulus, var. sterile. Common Snowball.						
* 150	1½	..	15	1 40		
40	2	..	20	1 80		
40	3	..	25	2 00		
VIBURNUM, Sieboldii.						
50	1	..	25	2 00	18 00	
210	1½	..	30	2 80	25 00	
250	2½	..	35	3 00	28 00	
40	3	..	50	4 50		
17	5	..	75			
VIBURNUM, tomentosum, var. plicatum (Japanese Snowball).						
215	1	..	25	2 00	15 00	
190	2	..	30	3 50	20 00	
65	3	..	50	4 50		
45	4	..	60			
WEIGELIA (Diervilla)—Assorted. Pink and red.						
195	4	..	35	3 00	25 00	
305	5	..	40	3 50	30 00	
270	6-7	..	50	4 50	40 00	
WEIGELIA, Eva Rathke. Red.						
125	1-2	..	12	1 10	10 00	
30	3	..	40			
20	5	..	50			
WEIGELIA. Yellow. (Diervilla lonicera, syn. trifida).						
300	1	..	10	90	8 00	
150	4	..	25	2 25	20 00	
100	5 layers	..	15	1 25	10 00	
WEIGELIA, candida.						
20	4	..	40	3 50	30 00	
20	5	..	50	4 00		
12	6	..	60			
WEIGELIA, Variegated leaf.						
10	2	..	25			
WITCH-HAZEL (Hamamelis Virginiana).						
160	1-2	..	25			
15	3	..	50			
10	4	..	60			
2	8	..	1 25			
JAPANESE PUSSY-WILLOW (Salix multinervis).						
180	6 in.	..	08	70	5 00	
130	3	..	20	1 50	12 00	
35	6	..	50	4 00		
YELLOW ROOT (Xanthorhiza apiifolia).						
1000	20	1 50	12 00	

Broad-Leaved Evergreen

Shrubs

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	[Per 1000
ANDROMEDA, floribunda.						
25	1	..	\$1 50			
25	1½	..	2 00			
ANDROMEDA, Japonica.						
30	½-1	..	40			
3	1½	..	1 50			
7	2	..	2 00			
13	2¼	..	3 00			
5	3	..	4 00			
AZALEA, amœna.						
100	1	..	1 00			
13	1¼	..	1 50			
BOX, Tree (Buxus sempervirens). Acclimated 4 years.						
70	3-6 in.	..	12	\$1 00		
380	8-10 in.	..	20	1 80	\$16 00	
700	1	..	40	3 50	30 00	
30	1½	..	75			
45	2	..	1 50			
15	2½	..	2 00			
BOX, Tree. Dome shape. Acclimated 3 years.						
35	2	..	3 00			
BOX, Tree. Dome shape. Accurately trimmed to hemispherical form. Grown here 8 to 12 years. They have a very large ball of roots.						
33	2½	2	10 00			
29	3	2½	12 00			
7	3½	3	14 00			
1	5	..	15 00			
BOX, Tree. Pyramidal. Acclimated 1 year.						
14	2½	..	1 75			
13	3	..	2 50			
8	3½	..	4 00			
18	4	..	5 00			
2	5	..	6 00			
BOX, Tree Pyramidal. Imported 1907.						
20	3½	..	2 50			
10	3	..	2 25			
10	4½	..	4 50			
10	5	..	5 00			
BOX, Tree. Tree-form or Standard. Acclimated 1 year.						
9	2½	1½-2	2 00			
6	3	1½-2	2 50			
25	3½	1½	4 00			
6	4	1½	5 00			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
BOX, Tree. Golden (<i>Buxus sempervirens</i> , var. <i>aurea</i>).						
40	3-7 in.	..	40			
BOX (<i>Buxus sempervirens</i> , var. <i>Handsworthii</i>). An upright open growing variety. Acclimated 5 years.						
8	1½	..	50	4 00		
24	2	..	1 00	8 00		
19	2½	..	1 25	10 00		
15	3	..	2 00	18 00		
8	3½	..	2 50			
12	4	..	3 00			
BOX, Dwarf (<i>Buxus sempervirens</i> , var. <i>suffruticosa</i>).						
1400	3-4 in.	..	08	60	5 00	
1200	6-9 in.	..	15	1 25	10 00	
25	1	..	2 00			
13	1½	..	4 00			
We have moved several hundred old dwarf boxwood trees 3 to 10 feet high, up to 15 feet wide and 150 years old. We have lists of these available. Price on application.						
DAPHNE CNEORUM.						
100	75			
EUONYMUS, radicans. Narrow leaved form.						
300	3-6 in.	..	12	1 00	8 00	
250	1	..	20	1 50	10 00	
500	1½	..	25	2 00	15 00	
EUONYMUS, radicans , var. <i>Carriere</i> .						
95	1½	..	25	2 00		
EUONYMUS, radicans. Broad leaved form.						
200	8-15 in.	..	25	2 00	15 00	
HOLLY, American (<i>Ilex opaca</i>).						
140	1	..	75	6 00		
170	1½	..	1 50	14 00		
175	2	..	2 00	18 00		
30	2½	..	2 50	20 00		
80	3	..	3 00	25 00		
14	4	..	5 00			
1	6	..				
1	9	..				
1	10	..				
ILEX, crenata.						
1300	1 in.	(1 yr.)			5 00	50 00
10	1	..	75			
12	2½	..	1 50			
14	3	..	2 00			
9	4	..	4 00			
INKBERRY (<i>Ilex glabra</i>).						
10	1	..	25			
LAUREL (<i>Kalmia latifolia</i>). In nursery 2 to 3 years. Clumps full of bloom buds.						
135	1	..	40	3 00	25 00	
750	1½	..	50	4 00	35 00	
1300	2	..	60	5 00	40 00	375 00
325	2½	..	75	6 00	55 00	
700	3	..	1 00	7 50	60 00	

Quan.	Height in feet	Spread in feet	Each	Per '10	Per 100	Per 1000
LAUREL, English (<i>Prunus laurocerasus</i> , var. <i>Schipkænsis</i>). Lustrous broad foliaged shrub, suitable for moist sheltered place.						
10	3	..	1 25			

LEUCOTHOE, Catesbæi (*Andromeda Catesbæi*). A handsome hardy ever-green growing about 3 feet high, suitable for edges of Rhododendron beds and woodland planting.

20	6-9 in.	..	30			
70	1	..	50	4 00	35 00	
60	1½	..	85	7 50		
60	2	..	1 00	9 00		
60	3	..	2 00	17 50		

MAHONIA AQUIFOLIA (*Berberis aquifolium*).

40	1½	..	75	7 00		
45	2	..	1 00	9 00		
50	2½	..	1 25	10 00		

MYRTLE, Trailing (*Vinca minor*, *Periwinkle*). Blue.

29000		2 00	10 00	
-------	----	----	--	------	-------	--

MYRTLE, White (*Vinca minor*, var. *alba*).

150	15	1 25	10 00	
-----	----	----	----	------	-------	--

MYRTLE, Purple double flowered (*Vinca minor*, var. *purpurea plena*).

1100	15	1 25	10 00	
------	----	----	----	------	-------	--

MYRTLE, variegated (*Vinca minor*, var. *aurea variegata*).

200	15	1 25	10 00	
-----	----	----	----	------	-------	--

PACHYSANDRA, terminalis.

500	25	2 25	20 00	
-----	----	----	----	------	-------	--

RHODODENDRON, maximum.

1½	..	50	4 00		
2	..	75	6 00		
3	..	3 00			
4	..	4 00—6 00			

Larger specimens priced on selection. Collected plants at low rates in quantity.

RHODODENDRON, Catawbiense.

300	10-12 in.	..	50	4 00	35 00	
20	1½	..	1 00			

RHODODENDRON, Catawbiense hybrids. Named hardy varieties. Two-year grafts. Imported 1907. *Caractacus*, *Roseum elegans*, *Album elegans*, *Pres. Lincoln*, *Everestianum*.

600	9-15 in.	..	75	6 00	55 00	
Imported. With bloom buds.						
500	15-20 in.	..	1 00	9 00	90 00	

RHODODENDRON, Catawbiense hybrids. Named hardy varieties. Acclimated plants growing here from 1 to 6 years: *Abraham Lincoln*, *Album elegans*, *Album grandiflorum*, *Atrosanguineum*, *Caractacus*, *Everestianum*, *Gen. Grant*, *Giganteum*, *Parsons' Gloriosa*, *Parsons' Grandiflorum*, *Lady Armstrong*, *Pres. Lincoln*, *Purpureum elegans*, *Roseum elegans*, etc.

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
RHODODENDRON, Catawbiense hybrida—Continued.						
400	1-1½	..	1 50	14 00	135 00	
400	1½	..	2 00	19 50	190 00	
325	2-2½	..	2 50—3 00			
115	2½-3	..	3 50—5 00			
200	3-4	..	3 50—6 00			
115	3½	..	Price on selection			
65	4	..	"	"		
15	4½	..	"	"		
15	5	..	"	"		

RHODODENDRON, Dwarf varieties and species. In the following varieties:
Punctatum, Dahuricum, hirsutum, ferrugineum, rhodora, præcox.
.. .. 50—1 25

YUCCA, filamentosa, for ground cover.

..	(2 yr. seedling)			2 00	10 00
..	(3 yr.)	15	1 00	7 00	50 00
..	(4 yr.)	25	2 00	15 00	

ROSES

HARDY ROSES: Gen. Jacqueminot, Hermosa, Paul Neyron, Magna Charta, Madam Plantier, Margaret Dickson, Moss Rose, Persian Yellow, etc.

350 2 yr. field grown. \$0 25

PRAIRIE ROSES: Baltimore Belle, Setigera, Prairie Queen.

250	{ 2-3	..	25	\$2 00
		3 yr. twice trans.	50	4 00

CRIMSON RAMBLER.

375	{	..	25	2 00
		3 yr. twice tr., ex. strong.	50	4 00

BABY RAMBLER.

80	..	50		
----	----	----	--	--

ROSA, rugosa.

350	{ 1	seedlings.	10	90	\$8 00
		..	25		
		..	40		

ROSA, rugosa alba.

65	..	25			
----	----	----	--	--	--

ROSA, rugosa: Belle Poitevine, Blanc Double de Coubert.

These Japanese roses have dark rich foliage that is not injured by insects or climate. They are perfectly hardy and vigorous and should be planted in masses or hedges. Both are profuse bloomers. Blanc Double de Coubert has exquisite white pointed buds that open into beautiful large double roses. Belle Poitevine has double blossoms of deep rose color. These roses bloom in May before the rose bugs come, with a few flowers throughout the summer.

Strong and bushy. On own roots. Transplanted.

2500	{ 6 in.	..	15	1 40	12 00
		1-2	30	2 00	18 00

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
-------	-------------------	-------------------	------	--------	---------	----------

ROSA RUGOSA HYBRIDS: Madame Georges Bruant, Conrad Ferdinand Meyer, Roseraie de l'Hay.

1-2	..	40	3 50			
-----	----	----	------	--	--	--

We are testing all obtainable varieties and hybrids of the Rugosa and Wichuraiana roses. If interested in the development of this new and hardiest race of roses, come and study them.

SWEET BRIER.

45	..	25				
----	----	----	--	--	--	--

SWEET BRIER, Lord Penzance hybrids.

35	..	35				
----	----	----	--	--	--	--

MEMORIAL ROSE (Rose Wichuraiana). A vigorous climbing and trailing rose.

550	..	20	1 80	15 00		
-----	----	----	------	-------	--	--

WICHURAIANA HYBRIDS: Pink Roamer, Universal Favorite, Dorothy Perkins, Lady Gay, etc.

160	..	30	2 50	2 00		
-----	----	----	------	------	--	--

WILD ROSE: Rosa lucida alba, R. carolina and R. nitida.

250	..	25	2 00	20 00		
-----	----	----	------	-------	--	--

VINES

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
-------	-------------------	-------------------	------	--------	---------	----------

ACTINIDIA, arguta.

12	1-1½	..	\$0 50	\$3 50		
30	2-5	..	75	5 00		
6	5	..	1 00			
4	10	..	2 00			

AKEBIA quinata.

10	4-7	..	50			
----	-----	----	----	--	--	--

BITTER SWEET, Japanese (Celastris articulata).

150	1-1½	..	20			
-----	------	----	----	--	--	--

CLEMATIS, Jackmanni.

45	..	50				
----	----	----	--	--	--	--

CLEMATIS, Henryi.

30	..	50				
----	----	----	--	--	--	--

CLEMATIS, paniculata.

400	2 yr.	20	1 75	\$15 00		
100	3 yr.	25	2 00	17 50		

CLEMATIS, Virginiana.

100	4-6	..	25	2 00	18 00	
-----	-----	----	----	------	-------	--

DUTCHMAN'S PIPE (Aristolochia siphon).

30	3	..	1 00			
10	7	..	1 50			
5	9	..	3 00			

STOCK PRICE LIST.

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
EUONYMUS, radicans (See under Broad Leaved Evergreens).						
HONEYSUCKLE, Hall's Japanese (<i>Lonicera Japonica</i>).						
1000	6 in.	..		35	4 00	
400	1½-3	..	10	90	8 00	
Layers.					2 00	
HONEYSUCKLE, Chinese (<i>Lonicera Japonica</i> , var. <i>Chinensis</i>).						
25	1-2	..	35			
IVY, English.						
150		..	35	3 00		
IVY, Japanese, or Boston (<i>Ampelopsis tricuspidata</i> , syn. <i>A. Veitchii</i>).						
300		2 yr.	15	1 40	12 00	
16	3-4	..	25			
KUDZU VINE (<i>Dolichos Japonicus</i> , syn. <i>Pueraria Thunbergiana</i>).						
30	3-4	..	50			
ROSES, Climbing. See under Roses.						
TRUMPET CREEPER (<i>Tacoma radicans</i> , syn. <i>Bignonia radicans</i>).						
30	1½	..	25	1 50		
80	3	..	40	2 50		
14	10	..	1 50			
2	12-15	..	3 00			
TRUMPET CREEPER, Chinese (<i>T. grandiflora</i> , syn. <i>B. Chinensis</i>).						
30	5	..	50	4 00		
VIRGINIA CREEPER (<i>Woodbine</i> ; <i>Ampelopsis quinquefolia</i>).						
290	2-3	..	25	2 00	12 00	
100	4	..	30	2 50	20 00	
10	6-9	..	1 00			
AMPELOPSIS, heterophylla.						
100	3	..	08	70	5 00	
10	6	..	50			
WISTARIA, Chinese (<i>Kraunhia</i> , syn. <i>Wistaria Chinensis</i>).						
100	1	..	15	1 40		
120	2	..	25	2 00		
150	4	..	30	2 50	20 00	
70	6	..	75	7 00		
25	8	..	1 00			
3	10	..	2 00			
WISTARIA, Tree Form or Standard.						
10	5-6	..	1 00			
6	8	..	5 00			
2	10	..	5 00			
WISTARIA, White (<i>W. Chinensis</i> , var. <i>alba</i>).						
30	1	..	25			
85	2	..	40			
150	4	..	50	4 00	35 00	
20	6	..	1 00			
3	10	..	2 00			
9	15	..	3 00			
WISTARIA, Japanese or Loose Clustered (<i>W. multijuga</i>) Flower clusters						
2½-3 ft. long.						
200	1	..	50	4 00	35 00	
60	2	..	60	5 00		
18	4	..	75	7 00		

HARDY HERBACEOUS PLANTS

For list and description of a very attractive assortment of hardy old-fashioned flowers, see our Descriptive Catalogue and Price List.

BARGAINS

In order to clear certain beds we offer the following bargains in hardy flowers. Field grown. Heavy. Fifty will be sold at the 100 rate, 250 at the 1000 rate. Orders for 500 or more of these plants in any assortment will be taken at the 1000 rate. An exceptional opportunity to get an immediate effect with small outlay.

\$5.00 per 100; \$35.00 per 1000

Achillea, The Pearl. White.
Armeria plantaginea (Thrift). Pink.
Aster Tataricus. Blue.
Centaurea macrocephala. Yellow.
Chrysanthemum. "Yellow Button."
Dianthus plumarius, mixed. Pink.
Funkia ovata. Blue Day Lily.
Funkia lancifolia. Lavender.
Helianthus mollis. Sunflower. Yellow.
Hemerocallis fulva. Tawny Day Lily.
Hemerocallis fulva, Fl. pl. var. Kwanso. Double.
Hemerocallis Dumortierii. Dwarf. Bronze.
Iris, German. "Walneri." Light blue.
Iris cristata. Pale blue. 6 in.

Iris Sibirica. Rich dark blue.
Monarda didyma. Bee balm. Crimson.
Oenothera Lamarkiana. Yellow.
Phlox subulata atropurpurea. Moss pink.
Phlox subulata, Lilacina.
Phlox subulata rosea.
Phlox subulata alba.
Physostegia Virginica. White.
Rudbeckia. Golden Glow.
Sedum acre. Stonecrop. Yellow.
Sedum album. White.
Silphium perfoliatum. Yellow.
Stachys lanata. Magenta.
Valeriana, Valerian. White.
Veronica spicata. Blue Speedwell.

\$7.00 per 100; \$50.00 per 1000

Alyssum saxatile compactum. Yellow.
Astilbe Japonica. White.
Delphinium, mixed. Blue.
Dianthus. June Pink. White.
Dianthus. Sweet William. Mixed.
Dicentra eximia. Pink.
Funkia lancifolia. Variegated leaf.
Gypsophila paniculata. Baby's Breath. White.
Hollyhock. Single. Fine mixed.
Lychnis flos cuculi. Ragged Robin. Rose.

Pentstemon barbatus, var. *Torreyi*. Red.
Phlox subulata. Moss Pink. Red.
Pyrethrum roseum. Red. Pink.
Rudbeckia purpurea. Purple Cone Flower.
Sedum spectabile. Rose.
Thermopsis Caroliniana. Yellow.
Vinca. Double. Lilac Myrtle.
Vinca. Single. White Myrtle.
Vinca. Variegated leaf Myrtle.
Yucca, Spanish Bayonet. 3 yr. tr.

Fruits for Long Island

Quan.	Height in feet	Spread in feet	Each	Per 10	Per 100	Per 1000
APPLES.						
1200	{ 5-6 6-7	..	\$0 35 50	\$2 50 3 50		
PEARS.						
675	{ 5-6 6-7	..	50 75	3 50 6 00		
PEACHES.						
1100	{ 4-6 4-6	1 yr. 2 yr.	25 40	1 80	\$15 00	
PLUMS.						
400	{ 5-6 6-7	..	50 75	3 50 6 00		
CHERRIES.						
350	{ 5-6 6-7	..	60 75	5 00 6 00		
QUINCE.						
120	4-5	..	50	4 00		
GRAPES.						
800		2 yr.	25	2 00	15 00	
GOOSEBERRIES.						
		2 yr.	20	1 50		
CURRANTS.						
		2 yr.	15	1 00		
RASPBERRIES.						
		..		50	4 00	
BLACKBERRIES.						
		..		50	4 00	
STRAWBERRIES.						
					1 00	
					2 00	
ASPARAGUS						
		1 yr.			75	
		2 yr.			1 00	
RHUBARB.						
		..	15			
		Large clumps.	25			
HORSERADISH.						
		..	10			

UDO, *Aralia cordata*. A new salad plant from Japan introduced by David Fairchild, Agricultural Explorer, United States Department of Agriculture.

The blanched shoots are sliced and served with salad dressing. It is as crisp as celery and without stringiness. It may be served with lettuce.

It is a vigorous plant six feet high. Its healthful growth and freedom from insect and fungus attacks, is another proof of the great importance of introducing plants from that region of similar climate and plant breeding from them.

Its culture is similar to asparagus; the earth is mounded over the plants to blanch the new shoots in Autumn and Spring. It can be forced in Winter in a cellar like Rhubarb.

It is rapidly propagated by division of the roots and by seed.

Send to Dept. of Agriculture, Washington, D. C., for bulletins on Udo. Price, strong roots40c. each.